

How to Use Your Decorá Specification Guide


How to order:

1. Select hood


2. Select moulding option

Some hoods do not have a moulding option and are not listed.

For the following series a moulding package must be chosen:
BDP1, BDP2, D, L, N, O, R, U, G, E, ERA, EEB, T, I, J, S, A, H, H2, W




Moulding Package 1



Moulding Package 2


3. Select Options



Pullout Spice Rack

Specify WSR


Only available on W & O-Series



Removable Top Panel

Specify MRP

Only available on M & Q-Series



Applied Moulding and Removable Top Panel

Specify ARP

Only available on the T, G, & I-Series



Traditional Corbel

Specify SWH-COR-TT2


Optional for H-Series and H2-Series with Sorrento supports.



Acanthus Corbel

Specify SWH-COR-AC2

Optional for L, N, O & W-Series hoods.



Door Option for VM-Series

Specify SWC-VMD-3024 or SWC-VMD-3624

Extended lead time for all orders with a Stanisci wood hood.

How to Use Your Decorá Specification Guide

4. Choose Panel and Frame profiles

Doors are unique and will not match Decorá profiles.
Wood hoods with a Door or Valance have this profile option.

Frames



441



443



445



446


Panels




Basic



Bead



Cove



Flat



Ogee

Below are the recommended Stanisci Panel and Frame Profile for each Decorá Door Style (These may not be exact matches, but would be close enough to achieve a cohesive look.)

Decorá Style	Stanisci Panel and Frame Profile
Airedale	445 Flat
Artisan	445 Flat
Avignon	446 Ogee
Braydon Manor	443 Flat
Cambridge	446 Flat
Daladier	445 Flat
Davenport	441 Basic
Galleria	443 Ogee
Girard	443 Flat
Harmony	445 Flat
Hawthorne	445 Cove
Huchenson	445 Flat
Kingston*	443 Ogee
Lexington	441 Ogee
Leyden	No Recommendation
Madison	443 Ogee
Marquis	445 Flat
Modesto	445 Flat
Plaza	441 Ogee
Prescott	441 Flat
Savannah	No Recommendation
Simsbury	445 Flat
Toulon	445 Cove
Treyburn	443 Flat
Verona*	441 Bead
Willshire	443 Ogee
Yardley	445 Flat

*Arch match unavailable

5. Choose Liner/Blower

See *liner/blower* section.

Extended lead time for all orders with a Stanisci wood hood.

A-Series



The A-Series hood is a new mantel style featuring a practical and beautiful display niche and a large crown mantel shelf. The bead board panel is removable to allow easy access for ventilation installation. A-Series hoods are constructed with solid wood and veneer core plywood for lasting beauty, function and durability.

A-Series wood hood shown with standard base and optional pierced grape moulding (AEB).

Upper crown moulding not included.

B-Series



With its unique combination of convex and concave lines, the B-Series hood makes a bold and dynamic statement in any setting.

B-Series wood shown with optional moulding.

Upper crown moulding not included.

D-Series



Dramatic curves paired with rectilinear angles make the D-Series a study in contrast as well as a focal point in any kitchen.

D-Series wood hood shown with decorative panel base (DDPI) and moulding package 2.

Upper crown moulding not included.

E-Series



With its sloping sides and graceful lines, the E-Series is the pinnacle of wood range hoods. Hand-selected for color and grain pattern, the veneer is applied with waterproof wood glue for a high quality, durable finish.

E-Series wood hood shown with standard base, moulding package 1 and applied grape carving (EEB).

Upper crown moulding not included.

Stanisci Wood Hoods

G-Series



The G-Series hood is a classic design with the flexibility to complement many kitchen styles.

G-Series wood hood shown with base and chimney applied pierced grape carving (GEBT).

Upper crown moulding not included.

H2-Series



Defined by its narrow columns and adaptable, transitional design, the H2-Series kitchen range hood is the perfect accent piece for a wide variety of styles and motifs. Add corbels for a more dramatic presentation.

H2-Series wood hood shown with arched valance (H2RA), Sorrento hood supports, Traditional corbels, and moulding package 2.

Upper crown moulding not included.

H-Series



A classic floating range hood with architectural and furniture inspiration, the H-Series is at home in nearly any traditional setting. Detailed valances and corbels are the perfect accents to this regal series.

H-Series wood hood shown with arched valance (HRA) and Traditional corbels.

Upper crown moulding not included.

J-Series



The J-Series kitchen range hood is specifically designed to mount between wall cabinets. It offers the popular chimney style appearance while keeping the run of the cabinets continuous. Available in sizes to fit up to a 60" cook top, the J-Series is a full hood, not just a valance.

J-Series wood hood shown with bead board (JBT) and moulding package 1.

L-Series



The L-Series is an elegant hearth style hood with a generous display niche. This hood features a large crown mantel shelf and bold arch with keystone detail for architectural appeal. The bead board panel is removable for easy ventilation installation. The L-Series is constructed from solid wood and veneer core plywood.

L-Series wood hood shown with Acanthus base and top carving (LABT), Acanthus corbels, and moulding package 1.

Upper crown moulding not included.

M-Series



The ever-popular M-Series hood adds a traditional furniture-like flair to any kitchen. For additional embellishment, add corbels. M-Series hoods are constructed with solid wood and veneer core plywood for lasting beauty, function and durability.

M-Series wood hood shown with Acanthus corbels and shelf kit.

N-Series



Adding a hearth to the home is made simple with the N-Series range hood. Featuring a decorative bump-out shelf and numerous base options, the N-Series is sure to please the most discriminating customer.

N-Series wood hood shown with arched valance, Acanthus corbels, and moulding package 1.

Upper crown moulding not included.

O-Series



Rich in design detail, the full height O-Series mantel style hood features a display niche and a large crown mantel shelf. A removable bead board panel provides easy access for ventilation installation. The O-Series is constructed from solid wood and veneer core plywood.

O-Series wood hood shown with standard valance, Acanthus corbels, and moulding package 1.

Upper crown moulding not included.

Stanisci Wood Hoods

Q-Series



With its solid, traditional design, the stately Q-Series creates an atmosphere of strength and beauty. The shelf and brackets enhance the craftsmanship and style visible in this range hood, adding functionality .

Q-Series wood hood shown with bracket and full length shelf.

Upper crown moulding not included.

R-Series



R-Series hoods feature furniture-like design with prominent shelves. Constructed with solid wood and veneer core plywood, the top panel on the R-Series is removable for ease of installation.

R-Series wood hood shown with raised top panel (RRP).

Upper crown moulding not included.

S-Series



Understated elegance and rectilinear lines define the S-Series mantel style hood. This popular hood style is constructed with solid wood and veneer core plywood and can be embellished with a variety of moulding packages.

S-Series wood hood shown with moulding package 1.

T-Series



Similar to the G-Series hood, the T-Series is also a classic design with the flexibility to complement many kitchen styles. Taller than the G-Series, the T-Series is designed to accommodate the taller 9 and 10 foot ceilings in today's kitchens.

T-Series wood hood shown with raised panel, arched valance (TRA-Series), and moulding package 1.

Upper crown moulding not included.

U-Series



Crisp, clean lines and transitional styling are hallmarks of the U-Series. This elegant mantel style hood has a built-in recess display area, and can be ordered with or without the Sorrento hood supports shown here.

U-Series shown with standard valance, moulding package 1, and optional Sorrento hood supports.

Upper crown moulding not included.

VCHIM



Value line hoods feature a simple chimney design and are available in a variety of standard sizes and wood types.

VRACHM



Stanisci Wood Hoods

VM-Series



Value line hoods feature a simple chimney design and are available in a variety of standard sizes and wood types.

W-Series




Echoing the cooking hearths from times past, the W-Series wood range hood is designed for the most elegant of kitchens. Its combination of embellishments, panel designs, and size options makes this series a true statement piece in the heart of the home.

W-Series wood hood shown with arched valance (WRA) and Acanthus corbels.

Upper crown moulding not included.


A-Series Standard Hood



- A-Series hoods are designed to mount between two cabinets but have finished sides.
- The last four digits of the SKU call out width and height.
- Liner/blower sold separate.
- Alder substituted for Rustic Alder.
- Check your local building code for installation heights above the range.
- Range hoods are ordered on an "as required" basis. No changes or cancellations will be accepted after 24 hours from acknowledgement of order.
- See page V•1 for available options; no other modifications available.
- Extended lead time on all wood hood orders.

- SWH-A-3330
- SWH-A-3336
- SWH-A-3342
- SWH-A-3930
- SWH-A-3936
- SWH-A-3942
- SWH-A-4530
- SWH-A-4536
- SWH-A-4542
- SWH-A-5130
- SWH-A-5136
- SWH-A-5142
- SWH-A-5730
- SWH-A-5736
- SWH-A-5742
- SWH-A-6330
- SWH-A-6336
- SWH-A-6342

A-Series w/Raised Panel Arched Valance




- A-Series hoods are designed to mount between two cabinets but have finished sides.
- The last four digits of the SKU call out width and height.
- Liner/blower sold separate.
- Alder substituted for Rustic Alder.
- Check your local building code for installation heights above the range.
- Range hoods are ordered on an "as required" basis. No changes or cancellations will be accepted after 24 hours from acknowledgement of order.
- See page V•1 for available options; no other modifications available.
- Extended lead time on all wood hood orders.

- SWH-ARA-3330
- SWH-ARA-3336
- SWH-ARA-3342
- SWH-ARA-3930
- SWH-ARA-3936
- SWH-ARA-3942
- SWH-ARA-4530
- SWH-ARA-4536
- SWH-ARA-4542
- SWH-ARA-5130
- SWH-ARA-5136
- SWH-ARA-5142
- SWH-ARA-5730
- SWH-ARA-5736
- SWH-ARA-5742
- SWH-ARA-6330
- SWH-ARA-6336
- SWH-ARA-6342

Stanisci Wood Hoods

A-Series w/ Applied Grape Base Carving



- A-Series hoods are designed to mount between two cabinets but have finished sides.
- The last four digits of the SKU call out width and height.
- Liner/blower sold separate.
- Alder substituted for Rustic Alder.
- Check your local building code for installation heights above the range.
- Range hoods are ordered on an "as required" basis. No changes or cancellations will be accepted after 24 hours from acknowledgement of order.
- See page V•1 for available options; no other modifications available.
- Extended lead time on all wood hood orders.

SWH-AEB-3330

SWH-AEB-3336

SWH-AEB-3342

SWH-AEB-3930

SWH-AEB-3936

SWH-AEB-3942

SWH-AEB-4530

SWH-AEB-4536

SWH-AEB-4542

SWH-AEB-5130

SWH-AEB-5136

SWH-AEB-5142

SWH-AEB-5730

SWH-AEB-5736


SWH-AEB-5742

SWH-AEB-6330

SWH-AEB-6336

SWH-AEB-6342

B-Series Range Hood



- Not trimmable, however custom heights are available.
- The last four digits of the SKU call out width and height.
- Liner/blower sold separate.
- Alder substituted for Rustic Alder.
- Check your local building code for installation heights above the range.
- Range hoods are ordered on an "as required" basis. No changes or cancellations will be accepted after 24 hours from acknowledgement of order.
- See page V•1 for available options; no other modifications available.
- Extended lead time on all wood hood orders.

SWH-B-3630

SWH-B-3642

SWH-B-3648

SWH-B-4230

SWH-B-4242

SWH-B-4248

SWH-B-4830

SWH-B-4842

SWH-B-4848

SWH-B-5430

SWH-B-5442


SWH-B-5448

SWH-B-6030

SWH-B-6042

SWH-B-6048

B-Series w/Decorative Panel Base 1



- Not trimmable, however custom heights are available.
- The last four digits of the SKU call out width and height.
- Hood is wider than call-out because of moulding protrusion.
- Additional width is 4.5\".
- Liner/blower sold separate.
- Alder substituted for Rustic Alder.
- Check your local building code for installation heights above the range.
- Range hoods are ordered on an "as required" basis. No changes or cancellations will be accepted after 24 hours from acknowledgement of order.
- See page V•1 for available options; no other modifications available.
- Extended lead time on all wood hood orders.

SWH-BDP1-3630

SWH-BDP1-3642

SWH-BDP1-3648

SWH-BDP1-4230

SWH-BDP1-4242

SWH-BDP1-4248

SWH-BDP1-4830

SWH-BDP1-4842

SWH-BDP1-4848

SWH-BDP1-5430

SWH-BDP1-5442


SWH-BDP1-5448

SWH-BDP1-6030

SWH-BDP1-6042

SWH-BDP1-6048

B-Series w/Decorative Panel Base 2



- Not trimmable, however custom heights are available.
- The last four digits of the SKU call out width and height.
- Hood is wider than call-out because of moulding protrusion.
- Additional width is 4.5\".
- Liner/blower sold separate.
- Alder substituted for Rustic Alder.
- Check your local building code for installation heights above the range.
- Range hoods are ordered on an "as required" basis. No changes or cancellations will be accepted after 24 hours from acknowledgement of order.
- See page V•1 for available options; no other modifications available.
- Extended lead time on all wood hood orders.

SWH-BDP2-3630

SWH-BDP2-3642

SWH-BDP2-3648

SWH-BDP2-4230

SWH-BDP2-4242

SWH-BDP2-4248

SWH-BDP2-4830

SWH-BDP2-4842

SWH-BDP2-4848

SWH-BDP2-5430

SWH-BDP2-5442

SWH-BDP2-5448


SWH-BDP2-6030

SWH-BDP2-6042

SWH-BDP2-6048

Stanisci Wood Hoods

D-Series Standard Hood



- Not trimmable, however custom heights are available.
- The last four digits of the SKU call out width and height.
- Hood is wider than call-out because of moulding protrusion.
- Additional width is 4.5”.
- Liner/blower sold separate.
- Alder substituted for Rustic Alder.
- Check your local building code for installation heights above the range.
- Range hoods are ordered on an “as required” basis. No changes or cancellations will be accepted after 24 hours from acknowledgement of order.
- See page V•1 for available options; no other modifications available.
- Extended lead time on all wood hood orders.

SWH-D-3630

SWH-D-3642

SWH-D-3648

SWH-D-4230

SWH-D-4242

SWH-D-4248

SWH-D-4830

SWH-D-4842

SWH-D-4848

SWH-D-5430

SWH-D-5442


SWH-D-5448

SWH-D-6030

SWH-D-6042

SWH-D-6048

D-Series w/Decorative Panel Base 1



- Not trimmable, however custom heights are available.
- The last four digits of the SKU call out width and height.
- Hood is wider than call-out because of moulding protrusion.
- Additional width is 4.5”.
- Liner/blower sold separate.
- Alder substituted for Rustic Alder.
- Check your local building code for installation heights above the range.
- Range hoods are ordered on an “as required” basis. No changes or cancellations will be accepted after 24 hours from acknowledgement of order.
- See page V•1 for available options; no other modifications available.
- Extended lead time on all wood hood orders.

SWH-DDP1-3630

SWH-DDP1-3642

SWH-DDP1-3648

SWH-DDP1-4230

SWH-DDP1-4242

SWH-DDP1-4248

SWH-DDP1-4830

SWH-DDP1-4842

SWH-DDP1-4848

SWH-DDP1-5430

SWH-DDP1-5442


SWH-DDP1-5448

SWH-DDP1-6030

SWH-DDP1-6042

SWH-DDP1-6048


E-Series Range Hood



- Not trimmable, however custom heights are available.
- The last four digits of the SKU call out width and height.
- Hood is wider than call-out because of moulding protrusion.
- Additional width is 2.25".
- Liner/blower sold separate.
- Alder substituted for Rustic Alder.
- Check your local building code for installation heights above the range.
- Range hoods are ordered on an "as required" basis. No changes or cancellations will be accepted after 24 hours from acknowledgement of order.
- See page V•1 for available options; no other modifications available.
- Extended lead time on all wood hood orders.

- SWH-E-3630
- SWH-E-3642
- SWH-E-3648
- SWH-E-4230
- SWH-E-4242
- SWH-E-4248
- SWH-E-4830
- SWH-E-4842
- SWH-E-4848
- SWH-E-5430
- SWH-E-5442
- SWH-E-5448
- SWH-E-6030
- SWH-E-6042
- SWH-E-6048

E-Series Range Hood
w/Arched Valance




- Not trimmable, however custom heights are available.
- The last four digits of the SKU call out width and height.
- Hood is wider than call-out because of moulding protrusion.
- Additional width is 2.25".
- Liner/blower sold separate.
- Alder substituted for Rustic Alder.
- Check your local building code for installation heights above the range.
- Range hoods are ordered on an "as required" basis. No changes or cancellations will be accepted after 24 hours from acknowledgement of order.
- See page V•1 for available options; no other modifications available.
- Extended lead time on all wood hood orders.

- SWH-ERA-3630
- SWH-ERA-3642
- SWH-ERA-3648
- SWH-ERA-4230
- SWH-ERA-4242
- SWH-ERA-4248
- SWH-ERA-4830
- SWH-ERA-4842
- SWH-ERA-4848
- SWH-ERA-5430
- SWH-ERA-5442
- SWH-ERA-5448
- SWH-ERA-6030
- SWH-ERA-6042
- SWH-ERA-6048

Stanisci Wood Hoods

E-Series Range Hood w/Standard Base and Applied Grape Carving



- Not trimmable, however custom heights are available.
- The last four digits of the SKU call out width and height.
- Hood is wider than call-out because of moulding protrusion.
- Additional width is 2.25\".
- Liner/blower sold separate.
- Alder substituted for Rustic Alder.
- Check your local building code for installation heights above the range.
- Range hoods are ordered on an "as required" basis. No changes or cancellations will be accepted after 24 hours from acknowledgement of order.
- See page V•1 for available options; no other modifications available.
- Extended lead time on all wood hood orders.

SWH-EEB-3630

SWH-EEB-3642

SWH-EEB-3648

SWH-EEB-4230

SWH-EEB-4242

SWH-EEB-4248

SWH-EEB-4830

SWH-EEB-4842

SWH-EEB-4848

SWH-EEB-5430

SWH-EEB-5442


SWH-EEB-5448

SWH-EEB-6030

SWH-EEB-6042

SWH-EEB-6048

G-Series w/Standard Top



- G-Series standard height accommodates an 8 foot ceiling, although the Chimney can be trimmed.
- The last four digits of the SKU call out width and height.
- Hood is wider than call-out because of moulding protrusion.
- Additional width is 2.25\".
- 30" tall.
- Liner/blower sold separate.
- Alder substituted for Rustic Alder.
- Check your local building code for installation heights above the range.
- Range hoods are ordered on an "as required" basis. No changes or cancellations will be accepted after 24 hours from acknowledgement of order.
- See page V•1 for available options; no other modifications available.
- Extended lead time on all wood hood orders.

SWH-G-3630


SWH-G-4230

SWH-G-4830

SWH-G-5430

SWH-G-6030

G-Series w/Beaded Top



- G-Series standard height accommodates an 8 foot ceiling, although the Chimney can be trimmed.
- The last four digits of the SKU call out width and height.
- Hood is wider than call-out because of moulding protrusion.
- Additional width is 2.25".
- 30" tall.
- Liner/blower sold separate.
- Alder substituted for Rustic Alder.
- Check your local building code for installation heights above the range.
- Range hoods are ordered on an "as required" basis. No changes or cancellations will be accepted after 24 hours from acknowledgement of order.
- See page V•1 for available options; no other modifications available.
- Extended lead time on all wood hood orders.

SWH-GBT-3630


SWH-GBT-4230

SWH-GBT-4830

SWH-GBT-5430

SWH-GBT-6030

G-Series w/Standard Top and Arched Valance



- G-Series standard height accommodates an 8 foot ceiling, although the Chimney can be trimmed.
- The last four digits of the SKU call out width and height.
- Hood is wider than call-out because of moulding protrusion.
- Additional width is 2.25".
- 32" Tall.
- Liner/blower sold separate.
- Alder substituted for Rustic Alder.
- Check your local building code for installation heights above the range.
- Range hoods are ordered on an "as required" basis. No changes or cancellations will be accepted after 24 hours from acknowledgement of order.
- See page V•1 for available options; no other modifications available.
- Extended lead time on all wood hood orders.

SWH-GRA-3632


SWH-GRA-4232

SWH-GRA-4832

SWH-GRA-5432

SWH-GRA-6032

G-Series w/Applied Grape Base and Chimney Carving



- G-Series standard height accommodates an 8 foot ceiling, although the Chimney can be trimmed.
- The last four digits of the SKU call out width and height.
- Hood is wider than call-out because of moulding protrusion.
- Additional width is 2.25".
- 30" Tall.
- Liner/blower sold separate.
- Alder substituted for Rustic Alder.
- Check your local building code for installation heights above the range.
- Range hoods are ordered on an "as required" basis. No changes or cancellations will be accepted after 24 hours from acknowledgement of order.
- See page V•1 for available options; no other modifications available.
- Extended lead time on all wood hood orders.

SWH-GEBT-3630

SWH-GEBT-4230


SWH-GEBT-4830

SWH-GEBT-5430

SWH-GEBT-6030

Stanisci Wood Hoods

H2-Series w/Standard Valance



- Hood should be a minimum of 12" wider than range for legs.
- The last four digits of the SKU call out width and height.
- Sorrento hood support available, see options.
- H2-Series is similar to the H-Series, but the columns are slimmed to 6" wide. Flat panels can be used.
- Traditional corbel option available when ordering Sorrento hood supports.
- Liner/blower sold separate.
- Alder substituted for Rustic Alder.
- Check your local building code for installation heights above the range.
- Range hoods are ordered on an "as required" basis. No changes or cancellations will be accepted after 24 hours from acknowledgement of order.
- 60" and 66" wide hoods will have three panels.
- See page V•1 for available options; no other modifications available.
- Extended lead time on all wood hood orders.

SWH-H2-4232

SWH-H2-4238

SWH-H2-4244

SWH-H2-4832

SWH-H2-4838

SWH-H2-4844

SWH-H2-5432

SWH-H2-5438

SWH-H2-5444

SWH-H2-6032

SWH-H2-6038


SWH-H2-6044

SWH-H2-6632

SWH-H2-6638

SWH-H2-6644

H2-Series w/Arched Valance



- Hood must be a minimum of 12" wider than range for the legs.
- The last four digits of the SKU call out width and height.
- Sorrento hood support available, see options.
- H2-Series is similar to the H-Series, but the columns are slimmed to 6" wide. Flat panels can be used.
- Traditional corbel option available when ordering Sorrento hood supports.
- Liner/blower sold separate.
- Alder substituted for Rustic Alder.
- Check your local building code for installation heights above the range.
- Range hoods are ordered on an "as required" basis. No changes or cancellations will be accepted after 24 hours from acknowledgement of order.
- 60" and 66" wide hoods will have three panels.
- See page V•1 for available options; no other modifications available.
- Extended lead time on all wood hood orders.

SWH-H2RA-4232

SWH-H2RA-4238

SWH-H2RA-4244

SWH-H2RA-4832

SWH-H2RA-4838

SWH-H2RA-4844

SWH-H2RA-5432

SWH-H2RA-5438

SWH-H2RA-5444

SWH-H2RA-6032

SWH-H2RA-6038


SWH-H2RA-6044

SWH-H2RA-6632

SWH-H2RA-6638

SWH-H2RA-6644

H-Series w/Arched Valance



- H-series hoods are designed to mount between two cabinets but have finished sides.
- The last four digits of the SKU call out width and height.
- Panel removes for easy installation.
- 54" and 60" wide hoods have two panels where 66" wide hoods have three panels.
- Hood should be a minimum of 18" wider than cooktop to accommodate legs.
- Traditional corbel option available.
- Liner/blower sold separate.
- Alder substituted for Rustic Alder.
- Check your local building code for installation heights above the range.
- Range hoods are ordered on an "as required" basis. No changes or cancellations will be accepted after 24 hours from acknowledgement of order.
- See page V•1 for available options; no other modifications available.
- Extended lead time on all wood hood orders.

SWH-HRA-5444

SWH-HRA-5450

SWH-HRA-5456

SWH-HRA-6044

SWH-HRA-6050


SWH-HRA-6056

SWH-HRA-6644

SWH-HRA-6650

SWH-HRA-6656

I-Series w/Standard Top



- The I-Series hood is ceiling mounted above an island or a peninsula.
- The last four digits of the SKU call out width and height.
- Not trimmable, however custom heights are available.
- I-Series height range is 24"-42" available in 1/4" increments.
- Hood is wider than call-out because of moulding protrusion.
- Additional width is 2.25".
- 30" tall.
- Island hoods should be 6" wider than the cooking surface.
- Liner/blower sold separate.
- Alder substituted for Rustic Alder.
- Check your local building code for installation heights above the range.
- Range hoods are ordered on an "as required" basis. No changes or cancellations will be accepted after 24 hours from acknowledgement of order.
- See page V•1 for available options; no other modifications available.
- Extended lead time on all wood hood orders.

SWH-I-3630

SWH-I-4230


SWH-I-4830

SWH-I-5430

SWH-I-6030

Stanisci Wood Hoods

J-Series w/Standard Base



- J-Series hoods are designed to mount between two cabinets but have finished sides.
- The last four digits of the SKU call out width and height.
- Hood should be 3" wider than cooking surface.
- Liner/blower sold separate.
- Alder substituted for Rustic Alder.
- Check your local building code for installation heights above the range.
- Range hoods are ordered on an "as required" basis. No changes or cancellations will be accepted after 24 hours from acknowledgement of order.
- See page V•1 for available options; no other modifications available.
- Extended lead time on all wood hood orders.

SWH-J-3330

SWH-J-3336

SWH-J-3342

SWH-J-3930

SWH-J-3936

SWH-J-3942

SWH-J-4530

SWH-J-4536

SWH-J-4542

SWH-J-5130

SWH-J-5136

SWH-J-5142

SWH-J-5730

SWH-J-5736


SWH-J-5742

SWH-J-6330

SWH-J-6336

SWH-J-6342

J-Series w/Arched Valance



- J-Series hoods are designed to mount between two cabinets but have finished sides.
- The last four digits of the SKU call out width and height.
- Hood should be 3" wider than cooking surface.
- Liner/blower sold separate.
- Alder substituted for Rustic Alder.
- Check your local building code for installation heights above the range.
- Range hoods are ordered on an "as required" basis. No changes or cancellations will be accepted after 24 hours from acknowledgement of order.
- See page V•1 for available options; no other modifications available.
- Extended lead time on all wood hood orders.

SWH-JRA-3330

SWH-JRA-3336

SWH-JRA-3342

SWH-JRA-3930

SWH-JRA-3936

SWH-JRA-3942

SWH-JRA-4530

SWH-JRA-4536

SWH-JRA-4542

SWH-JRA-5130

SWH-JRA-5136

SWH-JRA-5142

SWH-JRA-5730

SWH-JRA-5736


SWH-JRA-5742

SWH-JRA-6330

SWH-JRA-6336

SWH-JRA-6342


J-Series w/Bead Board and Moulding Package 1



- J-Series hoods are designed to mount between two cabinets but have finished sides.
- The last four digits of the SKU call out width and height.
- Hood should be 3" wider than cooking surface.
- Liner/blower sold separate.
- Alder substituted for Rustic Alder.
- Check your local building code for installation heights above the range.
- Range hoods are ordered on an "as required" basis. No changes or cancellations will be accepted after 24 hours from acknowledgement of order.
- See page V•1 for available options; no other modifications available.
- Extended lead time on all wood hood orders.

- SWH-JBT-3330
- SWH-JBT-3336
- SWH-JBT-3342
- SWH-JBT-3930
- SWH-JBT-3936
- SWH-JBT-3942
- SWH-JBT-4530
- SWH-JBT-4536
- SWH-JBT-4542
- SWH-JBT-5130
- SWH-JBT-5136
- SWH-JBT-5142
- SWH-JBT-5730
- SWH-JBT-5736
- SWH-JBT-5742
- SWH-JBT-6330
- SWH-JBT-6336
- SWH-JBT-6342


L-Series Standard Hood



- L-Series hoods are designed to mount between two cabinets but have finished sides.
- The last four digits of the SKU call out width and height.
- Acanthus corbel option available.
- Panel removes for easy installation.
- Hood should be a minimum of 18" wider than range for legs.
- Liner/blower sold separate.
- Alder substituted for Rustic Alder.
- Check your local building code for installation heights above the range.
- Range hoods are ordered on an "as required" basis. No changes or cancellations will be accepted after 24 hours from acknowledgement of order.
- See page V•1 for available options; no other modifications available.
- Extended lead time on all wood hood orders.

- SWH-L-5444
- SWH-L-5450
- SWH-L-5456
- SWH-L-6044
- SWH-L-6050
- SWH-L-6056
- SWH-L-6644
- SWH-L-6650
- SWH-L-6656

L-Series w/Acanthus Base and Top Carving




- L-Series hoods are designed to mount between two cabinets but have finished sides.
- The last four digits of the SKU call out width and height.
- Panel removes for easy installation.
- Acanthus corbel option available.
- Hood must be a minimum of 18" wider than range for the legs.
- Liner/blower sold separate.
- Alder substituted for Rustic Alder.
- Check your local building code for installation heights above the range.
- Range hoods are ordered on an "as required" basis. No changes or cancellations will be accepted after 24 hours from acknowledgement of order.
- See page V•1 for available options; no other modifications available.
- Extended lead time on all wood hood orders.

- SWH-LABT-5444
- SWH-LABT-5450
- SWH-LABT-5456
- SWH-LABT-6044
- SWH-LABT-6050
- SWH-LABT-6056
- SWH-LABT-6644
- SWH-LABT-6650
- SWH-LABT-6656

Stanisci Wood Hoods

M-Series Four Panel Front w/Acanthus Corbels and Shelf



- M-Series hoods are designed to mount between two cabinets but have finished sides.
- The last four digits of the SKU call out width and height.
- Acanthus corbels with shelf included.
- Removable panel for easy installation is a no cost option (order SWH-MRP).
- Liner/blower sold separate.
- Alder substituted for Rustic Alder.
- Check your local building code for installation heights above the range.
- Range hoods are ordered on an "as required" basis. No changes or cancellations will be accepted after 24 hours from acknowledgement of order.
- See page V•1 for available options; no other modifications available.
- Extended lead time on all wood hood orders.

SWH-MAC-3024

SWH-MAC-3030

SWH-MAC-3036

SWH-MAC-3042

SWH-MAC-3048

SWH-MAC-3624

SWH-MAC-3630

SWH-MAC-3636

SWH-MAC-3642

SWH-MAC-3648

SWH-MAC-4224

SWH-MAC-4230

SWH-MAC-4236

SWH-MAC-4242

SWH-MAC-4248

SWH-MAC-4824

SWH-MAC-4830

SWH-MAC-4836

SWH-MAC-4842

SWH-MAC-4848

SWH-MAC-5424

SWH-MAC-5430

SWH-MAC-5436

SWH-MAC-5442

SWH-MAC-5448

SWH-MAC-6024


SWH-MAC-6030

SWH-MAC-6036

SWH-MAC-6042

SWH-MAC-6048

M-Series Double Panel Front w/o Corbels and Shelf




- M-Series hoods are designed to mount between two cabinets but have finished sides.
- The last four digits of the SKU call out width and height.
- There is no shelf option because of the double panel front.
- Liner/blower sold separate.
- Alder substituted for Rustic Alder.
- Check your local building code for installation heights above the range.
- Range hoods are ordered on an "as required" basis. No changes or cancellations will be accepted after 24 hours from acknowledgement of order.
- See page V•1 for available options; no other modifications available.
- Extended lead time on all wood hood orders.

- SWH-MDP-3024
- SWH-MDP-3030
- SWH-MDP-3036
- SWH-MDP-3042
- SWH-MDP-3048
- SWH-MDP-3624
- SWH-MDP-3630
- SWH-MDP-3636
- SWH-MDP-3642
- SWH-MDP-3648
- SWH-MDP-4224
- SWH-MDP-4230
- SWH-MDP-4236
- SWH-MDP-4242
- SWH-MDP-4248
- SWH-MDP-4824
- SWH-MDP-4830
- SWH-MDP-4836
- SWH-MDP-4842
- SWH-MDP-4848
- SWH-MDP-5424
- SWH-MDP-5430
- SWH-MDP-5436
- SWH-MDP-5442
- SWH-MDP-5448
- SWH-MDP-6024
- SWH-MDP-6030
- SWH-MDP-6036
- SWH-MDP-6042
- SWH-MDP-6048

Stanisci Wood Hoods

N-Series w/Arched Valance



- N-Series hoods are designed to mount between two cabinets but have finished sides.
- The last four digits of the SKU call out width and height.
- Acanthus corbel option available.
- Panel removes for easy installation.
- Hood should be a minimum of 18" wider than range for legs.
- Liner/blower sold separate.
- Alder substituted for Rustic Alder.
- Check your local building code for installation heights above the range.
- Range hoods are ordered on an "as required" basis. No changes or cancellations will be accepted after 24 hours from acknowledgement of order.
- See page V•1 for available options; no other modifications available.
- Extended lead time on all wood hood orders.

SWH-NRA-5432

SWH-NRA-5438

SWH-NRA-5444

SWH-NRA-6032

SWH-NRA-6038


SWH-NRA-6044

SWH-NRA-6632

SWH-NRA-6638

SWH-NRA-6644

O-Series Standard Hood



- O-Series hoods are designed to mount between two cabinets but have finished sides.
- The last four digits of the SKU call out width and height.
- Acanthus corbel option available.
- Check with local building codes to determine distance from range to inside leg of hood.
- Panel removes for easy installation.
- Optional pull-out spice rack available.
- Hood must be a minimum of 18" wider than range for the legs.
- Liner/blower sold separate.
- Alder substituted for Rustic Alder.
- Check your local building code for installation heights above the range.
- Range hoods are ordered on an "as required" basis. No changes or cancellations will be accepted after 24 hours from acknowledgement of order.
- See page V•1 for available options; no other modifications available.
- Extended lead time on all wood hood orders.

SWH-O-6660

SWH-O-6672

SWH-O-6684

SWH-O-7260

SWH-O-7272

SWH-O-7284

SWH-O-8460

SWH-O-8472


SWH-O-8484

SWH-O-9060

SWH-O-9072

SWH-O-9084

O-Series w/Acanthus Base and Top Carving



- O-Series hoods are designed to mount between two cabinets but have finished sides.
- The last four digits of the SKU call out width and height.
- Acanthus corbel option available.
- Check with local building codes to determine distance from range to inside leg of hood.
- Panel removes for easy installation.
- Optional pull-out spice rack available.
- Hood must be a minimum of 18" wider than range for the legs.
- Liner/blower sold separate.
- Alder substituted for Rustic Alder.
- Check your local building code for installation heights above the range.
- Range hoods are ordered on an "as required" basis. No changes or cancellations will be accepted after 24 hours from acknowledgement of order.
- See page V•1 for available options; no other modifications available.
- Extended lead time on all wood hood orders.

SWH-OABT-6660

SWH-OABT-6672

SWH-OABT-6684

SWH-OABT-7260

SWH-OABT-7272

SWH-OABT-7284

SWH-OABT-8460

SWH-OABT-8472


SWH-OABT-8484

SWH-OABT-9060

SWH-OABT-9072

SWH-OABT-9084

Q-Series w/Shelf and Brackets



- Q-Series hoods are designed to mount between two cabinets but have finished sides.
- The last four digits of the SKU call out width and height.
- Brackets and shelf are included on this hood.
- Removable panel for easy installation is a no cost option (Order SWH-MRP).
- Liner/blower sold separate.
- Alder substituted for Rustic Alder.
- Check your local building code for installation heights above the range.
- Range hoods are ordered on an "as required" basis. No changes or cancellations will be accepted after 24 hours from acknowledgement of order.
- See page V•1 for available options; no other modifications available.
- Extended lead time on all wood hood orders.

SWH-QBKT-3024

SWH-QBKT-3030

SWH-QBKT-3036

SWH-QBKT-3042

SWH-QBKT-3048

SWH-QBKT-3624

SWH-QBKT-3630

SWH-QBKT-3636

SWH-QBKT-3642

SWH-QBKT-3648

SWH-QBKT-4224

SWH-QBKT-4230


SWH-QBKT-4236

SWH-QBKT-4242

SWH-QBKT-4248

Stanisci Wood Hoods


R-Series w/Raised Panel



- R-Series hoods are designed to mount between two cabinets but have finished sides.
- The last four digits of the SKU call out width and height.
- Panel removes for easy installation.
- Liner/blower sold separate.
- Alder substituted for Rustic Alder.
- Check your local building code for installation heights above the range.
- Range hoods are ordered on an "as required" basis. No changes or cancellations will be accepted after 24 hours from acknowledgement of order.
- See page V•1 for available options; no other modifications available.
- Extended lead time on all wood hood orders.

- SWH-RRP-3024
- SWH-RRP-3030
- SWH-RRP-3036
- SWH-RRP-3042
- SWH-RRP-3624
- SWH-RRP-3630
- SWH-RRP-3636
- SWH-RRP-3642
- SWH-RRP-4224
- SWH-RRP-4230
- SWH-RRP-4236
- SWH-RRP-4242


S-Series Standard Hood



- S-Series hoods are designed to mount between two cabinets but have finished sides.
- The last four digits of the SKU call out width and height.
- The hood should be 3" wider than the cooking surface.
- Panel removes for easy installation.
- Liner/blower sold separate.
- Alder substituted for Rustic Alder.
- Check your local building code for installation heights above the range.
- Range hoods are ordered on an "as required" basis. No changes or cancellations will be accepted after 24 hours from acknowledgement of order.
- See page V•1 for available options; no other modifications available.
- Extended lead time on all wood hood orders.

- SWH-S-3324
- SWH-S-3330
- SWH-S-3336
- SWH-S-3342
- SWH-S-3924
- SWH-S-3930
- SWH-S-3936
- SWH-S-3942
- SWH-S-4524
- SWH-S-4530
- SWH-S-4536
- SWH-S-4542
- SWH-S-5124
- SWH-S-5130
- SWH-S-5136
- SWH-S-5142
- SWH-S-5724
- SWH-S-5730
- SWH-S-5736
- SWH-S-5742
- SWH-S-6324
- SWH-S-6330
- SWH-S-6336
- SWH-S-6342

S-Series w/Raised Panel Arched Valance



- S-Series hoods are designed to mount between two cabinets but have finished sides.
- The last four digits of the SKU call out width and height.
- The hood should be 3" wider than the cooking surface.
- Panel removes for easy installation.
- Liner/blower sold separate.
- Alder substituted for Rustic Alder.
- Check your local building code for installation heights above the range.
- Range hoods are ordered on an "as required" basis. No changes or cancellations will be accepted after 24 hours from acknowledgement of order.
- See page V•1 for available options; no other modifications available.
- Extended lead time on all wood hood orders.

SWH-SRA-3324

SWH-SRA-3330

SWH-SRA-3336

SWH-SRA-3342

SWH-SRA-3924

SWH-SRA-3930

SWH-SRA-3936

SWH-SRA-3942

SWH-SRA-4524

SWH-SRA-4530

SWH-SRA-4536

SWH-SRA-4542

SWH-SRA-5124

SWH-SRA-5130

SWH-SRA-5136

SWH-SRA-5142

SWH-SRA-5724

SWH-SRA-5730

SWH-SRA-5736

SWH-SRA-5742


SWH-SRA-6324

SWH-SRA-6330

SWH-SRA-6336

SWH-SRA-6342

T-Series w/Standard Top



- Standard height accommodates a 9 foot ceiling, although the chimney can be trimmed.
- The last two digits of the SKU call out width.
- Hood is wider than call-out because of moulding protrusion.
- Additional width is 2.25".
- 42" tall.
- Liner/blower sold separate.
- Alder substituted for Rustic Alder.
- Check your local building code for installation heights above the range.
- Range hoods are ordered on an "as required" basis. No changes or cancellations will be accepted after 24 hours from acknowledgement of order.
- See page V•1 for available options; no other modifications available.
- Extended lead time on all wood hood orders.

SWH-T-36

SWH-T-42


SWH-T-48

SWH-T-54

SWH-T-60

Stanisci Wood Hoods

T-Series w/Beaded Top



- Standard height accommodates a 9 foot ceiling, although the chimney can be trimmed.
- The last two digits of the SKU call out width.
- Hood is wider than call-out because of moulding protrusion.
- Additional width is 2.25".
- 42" tall.
- Liner/blower sold separate.
- Alder substituted for Rustic Alder.
- Check your local building code for installation heights above the range.
- Range hoods are ordered on an "as required" basis. No changes or cancellations will be accepted after 24 hours from acknowledgement of order.
- See page V•1 for available options; no other modifications available.
- Extended lead time on all wood hood orders.

SWH-TBT-36


SWH-TBT-42

SWH-TBT-48

SWH-TBT-54

SWH-TBT-60

T-Series w/Standard Top and Arched Valance



- Standard height accommodates a 9 foot ceiling, although the chimney can be trimmed.
- The last two digits of the SKU call out width.
- Hood is wider than call-out because of moulding protrusion.
- Additional width is 2.25".
- 42" tall.
- Liner/blower sold separate.
- Alder substituted for Rustic Alder.
- Check your local building code for installation heights above the range.
- Range hoods are ordered on an "as required" basis. No changes or cancellations will be accepted after 24 hours from acknowledgement of order.
- See page V•1 for available options; no other modifications available.
- Extended lead time on all wood hood orders.

SWH-TRA-36


SWH-TRA-42

SWH-TRA-48

SWH-TRA-54

SWH-TRA-60

U-Series Standard



- U-Series hoods are designed to mount between two cabinets but have finished sides.
- The last four digits of the SKU call out width and height.
- Check with local building codes to determine distance from range to inside leg of hood.
- Panel removes for easy installation.
- Optional Sorrento hood supports available.
- Liner/blower sold separate.
- Alder substituted for Rustic Alder.
- Check your local building code for installation heights above the range.
- Range hoods are ordered on an "as required" basis. No changes or cancellations will be accepted after 24 hours from acknowledgement of order.
- See page V•1 for available options; no other modifications available.
- Extended lead time on all wood hood orders.

SWH-U-6632

SWH-U-6638

SWH-U-6644

SWH-U-7232

SWH-U-7238

SWH-U-7244

SWH-U-8432

SWH-U-8438


SWH-U-8444

SWH-U-9032

SWH-U-9038

SWH-U-9044

VRACHIM-Series w/Arched Valance



- Hood is wider than call-out because of moulding protrusion.
- The last four digits of the SKU call out width and height.
- Additional width is 2.25".
- Liner/blower sold separate.
- Alder substituted for Rustic Alder.
- Check your local building code for installation heights above the range.
- Range hoods are ordered on an "as required" basis. No changes or cancellations will be accepted after 24 hours from acknowledgement of order.
- See page V•1 for available options; no other modifications available.
- Extended lead time on all wood hood orders.
- Not available in Hickory or Quartersawn Oak.


SWH-VRACHIM3042

SWH-VRACHIM3642

SWH-VRACHIM4242

SWH-VRACHIM4842

VM-Series Standard Base Hood




- No upper doors included unless ordered (see SWH-VMD).
- The last four digits of the SKU call out width and height.
- Liner/blower sold separate.
- Alder substituted for Rustic Alder.
- Check your local building code for installation heights above the range.
- Range hoods are ordered on an "as required" basis. No changes or cancellations will be accepted after 24 hours from acknowledgement of order.
- See page V•1 for available options; no other modifications available.
- Extended lead time on all wood hood orders.
- Not available in Hickory or Quartersawn Oak.

SWH-VM-3024

SWH-VM-3624

Stanisci Wood Hoods

VCHIM-Series



- Hood is wider than call-out because of moulding protrusion.
- The last four digits of the SKU call out width and height.
- Additional width is 2.25”.
- Liner/blower sold separate.
- Alder substituted for Rustic Alder.
- Check your local building code for installation heights above the range.
- Range hoods are ordered on an “as required” basis. No changes or cancellations will be accepted after 24 hours from acknowledgement of order.
- See page V•1 for available options; no other modifications available.
- Extended lead time on all wood hood orders.
- Not available in Hickory or Quartersawn Oak.


SWH-VCHIM-3042

SWH-VCHIM-3642

SWH-VCHIM-4242

SWH-VCHIM-4842

W-Series w/Standard Valance



- W-Series hoods are designed to mount between two cabinets but have finished sides.
- The last four digits of the SKU call out width and height.
- Optional pull-out spice rack is available.
- Acanthus corbel option available.
- Check with local building codes to determine distance from range to inside leg of hood.
- Hood must be a minimum of 18” wider than range for the legs.
- Liner/blower sold separate.
- Alder substituted for Rustic Alder.
- Check your local building code for installation heights above the range.
- Range hoods are ordered on an “as required” basis. No changes or cancellations will be accepted after 24 hours from acknowledgement of order.
- See page V•1 for available options; no other modifications available.
- Extended lead time on all wood hood orders.

SWH-W-6660

SWH-W-6672

SWH-W-6684

SWH-W-7260

SWH-W-7272

SWH-W-7284

SWH-W-8460

SWH-W-8472


SWH-W-8484

SWH-W-9060

SWH-W-9072

SWH-W-9084

W-Series w/Arched Valance



- W-Series hoods are designed to mount between two cabinets but have finished sides.
- The last four digits of the SKU call out width and height.
- Optional pull-out spice rack is available.
- Acanthus corbel option available.
- Check with local building codes to determine distance from range to inside leg of hood.
- Hood must be a minimum of 18" wider than range for the legs.
- Liner/blower sold separate.
- Alder substituted for Rustic Alder.
- Check your local building code for installation heights above the range.
- Range hoods are ordered on an "as required" basis. No changes or cancellations will be accepted after 24 hours from acknowledgement of order.
- See page V•1 for available options; no other modifications available.
- Extended lead time on all wood hood orders.

SWH-WRA-6660

SWH-WRA-6672

SWH-WRA-6684

SWH-WRA-7260

SWH-WRA-7272

SWH-WRA-7284

SWH-WRA-8460

SWH-WRA-8472

SWH-WRA-8484


SWH-WRA-9060

SWH-WRA-9072

SWH-WRA-9084

Sorrento Hood Supports


6" for H2-Series



- Comes standard with Pullout Spice Rack.
- Sold in pairs.

SWH-SORRENTO6

9" for U-Series




- Comes standard with Pullout Spice Rack.
- Sold in pairs.

SWH-SORRENTO9

Choose from the following Front, Side, and Base Options:


Front



Slab Front Door – 6" Slab Front Door – 9"

- Slab front door.


SLAB



Flat Door Panel Front Door – 6"

- Flat door panel front door.

5PCF




Raised Door Panel Front Door – 9"

- Raised door panel front door.
- Supports only (U-Series hoods).

5PCR


Side Choice



Slab - 6" Slab - 9"

- Slab both sides.


SB _____



Panel - 6" Panel - 9"

- Panel both sides.
- Not recommended if mounted against cabinets.


PB _____



Hybrid - 6"


- Slab on outside and panel on inside.

HB _____



Hybrid - 9"


Base Plate



With Base Plate - 6" With Base Plate - 9"

- 28" tall with base plate.

BP _____





No Base Plate - 6" No Base Plate - 9"

- 28" tall no base plate.

NOBP _____

Liners/Blowers for Wood Hoods – Professional Baffle Liner (PSL)



Ranges Larger than 36" or any Range w/Grille



- 1200 CFM blower.
- Duct is 10" in diameter.
- Blower is mounted externally.
- An "I" at the end of a SKU is for use with an island.
- The last two numbers of the SKU are the liner model number. See the chart on page V•34.
- Models 30, 36, and 42 have two 50 watt halogen lights.
- Models 48 and 54 have three 50 watt halogen lights.
- Model 60 has four 50 watt halogen lights.
- Variable speed fan control.
- Dishwasher safe brushed stainless steel baffle filters.
- Dimmer controlled halogen lighting.

SWH-PSL1200R30
SWH-PSL1200R30I
SWH-PSL1200R36
SWH-PSL1200R36I
SWH-PSL1200R42
SWH-PSL1200R42I
SWH-PSL1200R48
SWH-PSL1200R48I
SWH-PSL1200R54
SWH-PSL1200R54I
SWH-PSL1200R60
SWH-PSL1200R60I


Ranges w/Wok, BBQ or Grille, or w/Long Duct Runs



- 1500 CFM blower.
- Duct is 10" in diameter.
- Blower is mounted externally.
- An "I" at the end of a SKU is for use with an island.
- The last two numbers of the SKU are the liner model number. See the chart on page V•34.
- Models 30, 36, and 42 have two 50 watt halogen lights.
- Models 48 and 54 have three 50 watt halogen lights.
- Model 60 has four 50 watt halogen lights.
- Variable speed fan control.
- Dishwasher safe brushed stainless steel baffle filters.
- Dimmer controlled halogen lighting.

SWH-PSL1500R30
SWH-PSL1500R30I
SWH-PSL1500R36
SWH-PSL1500R36I
SWH-PSL1500R42
SWH-PSL1500R42I
SWH-PSL1500R48
SWH-PSL1500R48I
SWH-PSL1500R54
SWH-PSL1500R54I
SWH-PSL1500R60
SWH-PSL1500R60I

Less than 36" Range w/o Grille





- 600 CFM blower.
- Duct is 8" in diameter.
- Blower is mounted externally.
- An "I" at the end of a SKU is for use with an island.
- The last two numbers of the SKU are the liner model number. See the chart on page V•34.
- Models 30, 36, and 42 have two 50 watt halogen lights.
- Models 48 and 54 have three 50 watt halogen lights.
- Model 60 has four 50 watt halogen lights.
- Variable speed fan control.
- Dishwasher safe brushed stainless steel baffle filters.
- Dimmer controlled halogen lighting.

SWH-PSL600R30
SWH-PSL600R30I
SWH-PSL600R36
SWH-PSL600R36I
SWH-PSL600R42
SWH-PSL600R42I
SWH-PSL600R48
SWH-PSL600R48I
SWH-PSL600R54
SWH-PSL600R54I
SWH-PSL600R60
SWH-PSL600R60I

Liners/Blowers for Wood Hoods – Professional Baffle Liner (PSL)

Commercial Range up to 48" w/o Grille



- 1000 CFM blower.
- Duct is 10" in diameter.
- Blower is mounted inside the wood hood.
- An "I" at the end of a SKU is for use with an island.
- The last two numbers of the SKU are the liner model number. See the chart on page V•34.
- Models 30, 36, and 42 have two 50 watt halogen lights.
- Models 48 and 54 have three 50 watt halogen lights.
- Model 60 has four 50 watt halogen lights.
- Variable speed fan control.
- Dishwasher safe brushed stainless steel baffle filters.
- Dimmer controlled halogen lighting.

SWH-PSL1000SM30

SWH-PSL1000SM36

SWH-PSL1000SM42

SWH-PSL1000S42I

SWH-PSL1000SM48

SWH-PSL1000S48I


SWH-PSL1000SM54

SWH-PSL1000S54I

SWH-PSL1000SM60

SWH-PSL1000S60I

Commercial Range up to 48" w/o Grille



- 1200 CFM blower.
- Duct is 10" in diameter.
- Blower is mounted inside the wood hood.
- An "I" at the end of a SKU is for use with an island.
- The last two numbers of the SKU are the liner model number. See the chart on page V•34.
- Models 30, 36, and 42 have two 50 watt halogen lights.
- Models 48 and 54 have three 50 watt halogen lights.
- Model 60 has four 50 watt halogen lights.
- Variable speed fan control.
- Dishwasher safe brushed stainless steel baffle filters.
- Dimmer controlled halogen lighting.

SWH-PSL1200SM30

SWH-PSL1200S30I

SWH-PSL1200SM36

SWH-PSL1200S36I

SWH-PSL1200SM42

SWH-PSL1200S42I

SWH-PSL1200SM48

SWH-PSL1200S48I



SWH-PSL1200SM54

SWH-PSL1200S54I

SWH-PSL1200SM60

SWH-PSL1200S60I

Standard Range or Small Commercial w/o Grille, Extra Quiet



- 600 CFM blower with reducer to 300 CFM.
- Duct is 8" in diameter.
- Blower is mounted inside the wood hood.
- An "I" at the end of a SKU is for use with an island.
- The last two numbers of the SKU are the liner model number. See the chart on page V•34.
- Models 30, 36, and 42 have two 50 watt halogen lights.
- Models 48 and 54 have three 50 watt halogen lights.
- Model 60 has four 50 watt halogen lights.
- Variable speed fan control.
- Dishwasher safe brushed stainless steel baffle filters.
- Dimmer controlled halogen lighting.

SWH-PSL600SM30

SWH-PSL600SM30I

SWH-PSL600SM36

SWH-PSL600SM36I

SWH-PSL600SM42

SWH-PSL600SM42I

SWH-PSL600SM48

SWH-PSL600SM48I

SWH-PSL600SM54



SWH-PSL600SM54I

SWH-PSL600SM60

SWH-PSL600SM60I

Liners/Blowers for Wood Hoods – Professional Baffle Liner (PSL)

Standard Range or Small Commercial w/o Grille



- 600 CFM blower.
- Duct is 8" in diameter.
- Blower is mounted inside the wood hood.
- An "I" at the end of a SKU is for use with an island.
- The last two numbers of the SKU are the liner model number. See the chart below.
- Models 30, 36, and 42 have two 50 watt halogen lights.
- Models 48 and 54 have three 50 watt halogen lights.
- Model 60 has four 50 watt halogen lights.
- Variable speed fan control.
- Dishwasher safe brushed stainless steel baffle filters.
- Dimmer controlled halogen lighting.

SWH-PSLMB60030

SWH-PSLMB60030I

SWH-PSLMB60036

SWH-PSLMB60036I

SWH-PSLMB60042

SWH-PSLMB60042I

SWH-PSLMB60048

SWH-PSLMB60048I

SWH-PSLMB60054

SWH-PSLMB60054I

SWH-PSLMB60060

SWH-PSLMB60060I

Professional Baffle Liner (PSL)						
Liner Model	30	36	42	48	54	60
Wood Hood Series Width						
G [†] , T [†]	NA	36	42	48	54	60
I [†]	NA	36 [♦]	42	48	54	60
E [†] , D [†] , B [†]	NA	36	42	48	54	60
W [†] , O	NA	NA	NA	66	72	84, 90
H [†] , L [†] , N [†] , U	NA	54	60	66	72	84
M, Q, R	30	36	42	48	54	60
S [†] , J [†] , A [†]	33	39	45	51	57	63
H2	42	48	54	60	66	NA


[†]If ordering arched valances on the G, T, I, E, W, H, S, J or A, the base height must be increased by 2".

[♦]1000 CFM internal blower will not fit in 36" island hood.

1. Find wood hood model in the left column.
2. Find the width for the selected model.
3. See corresponding liner model in the top row.

Liners/Blowers for Wood Hoods – Professional Mesh Liner (PML)

Ranges Larger than 36" or any Range w/Grille



- 1200 CFM blower.
- Duct is 10" in diameter.
- Blower is mounted externally.
- An "I" at the end of a SKU is for use with an island.
- The last two numbers of the SKU are the liner model number. See the chart on page V•37.
- Models 30, 36, and 42 have two 50 watt halogen lights.
- Models 48 and 54 have three 50 watt halogen lights.
- Model 60 has four 50 watt halogen lights.
- Variable speed fan control.
- Dishwasher safe perforated stainless steel mesh liner inserts.
- Dimmer controlled halogen lighting.

SWH-PML1200R30

SWH-PML1200R30I

SWH-PML1200R36

SWH-PML1200R36I

SWH-PML1200R42

SWH-PML1200R42I

SWH-PML1200R48

SWH-PML1200R48I


SWH-PML1200R54

SWH-PML1200R54I

SWH-PML1200R60

SWH-PML1200R60I

Ranges w/Wok, BBQ or Grille, or w/Long Duct Runs



- 1500 CFM blower.
- Duct is 10" in diameter.
- Blower is mounted externally.
- An "I" at the end of a SKU is for use with an island.
- The last two numbers of the SKU are the liner model number. See the chart on page V•37.
- Models 30, 36, and 42 have two 50 watt halogen lights.
- Models 48 and 54 have three 50 watt halogen lights.
- Model 60 has four 50 watt halogen lights.
- Variable speed fan control.
- Dishwasher safe perforated stainless steel mesh liner inserts.
- Dimmer controlled halogen lighting.

SWH-PML1500R30

SWH-PML1500R30I

SWH-PML1500R36

SWH-PML1500R36I

SWH-PML1500R42

SWH-PML1500R42I

SWH-PML1500R48

SWH-PML1500R48I


SWH-PML1500R54

SWH-PML1500R54I

SWH-PML1500R60

SWH-PML1500R60I

Less than 36" Range w/o Grille



- 600 CFM blower.
- Duct is 8" in diameter.
- Blower is mounted externally.
- An "I" at the end of a SKU is for use with an island.
- The last two numbers of the SKU are the liner model number. See the chart on page V•37.
- Models 30, 36, and 42 have two 50 watt halogen lights.
- Models 48 and 54 have three 50 watt halogen lights.
- Model 60 has four 50 watt halogen lights.
- Variable speed fan control.
- Dishwasher safe perforated stainless steel mesh liner inserts.
- Dimmer controlled halogen lighting.

SWH-PML600R30

SWH-PML600R30I

SWH-PML600R36

SWH-PML600R36I

SWH-PML600R42

SWH-PML600R42I

SWH-PML600R48

SWH-PML600R48I

SWH-PML600R54


SWH-PML600R54I

SWH-PML600R60

SWH-PML600R60I

Liners/Blowers for Wood Hoods – Professional Mesh Liner (PML)


Commercial Range up to 48" w/o Grille



- 1000 CFM blower.
- Duct is 10" in diameter.
- Blower is mounted inside the wood hood.
- An "I" at the end of a SKU is for use with an island.
- The last two numbers of the SKU are the liner model number. See the chart on page V•37.
- Models 30, 36, and 42 have two 50 watt halogen lights.
- Models 48 and 54 have three 50 watt halogen lights.
- Model 60 has four 50 watt halogen lights.
- Variable speed fan control.
- Dishwasher safe perforated stainless steel mesh liner inserts.
- Dimmer controlled halogen lighting.

SWH-PML1000SM30
 SWH-PML1000SM36
 SWH-PML1000SM42
 SWH-PML1000SM42I
 SWH-PML1000SM48
 SWH-PML1000SM48I
 SWH-PML1000SM54
 SWH-PML1000SM54I
 SWH-PML1000SM60
 SWH-PML1000SM60I


Commercial Range up to 48" w/o Grille



- 1200 CFM blower.
- Duct is 10" in diameter.
- Blower is mounted inside the wood hood.
- An "I" at the end of a SKU is for use with an island.
- The last two numbers of the SKU are the liner model number. See the chart on page V•37.
- Models 30, 36, and 42 have two 50 watt halogen lights.
- Models 48 and 54 have three 50 watt halogen lights.
- Model 60 has four 50 watt halogen lights.
- Variable speed fan control.
- Dishwasher safe perforated stainless steel mesh liner inserts.
- Dimmer controlled halogen lighting.

SWH-PML1200SM30
 SWH-PML1200SM30I
 SWH-PML1200SM36
 SWH-PML1200SM36I
 SWH-PML1200SM42
 SWH-PML1200SM42I
 SWH-PML1200SM48
 SWH-PML1200SM48I
 SWH-PML1200SM54
 SWH-PML1200SM54I
 SWH-PML1200SM60
 SWH-PML1200SM60I

Standard Range or Small Commercial w/o Grille, Extra Quiet




- 600 CFM blower with reducer to 300 CFM.
- Duct is 8" in diameter.
- Blower is mounted inside the wood hood.
- An "I" at the end of a SKU is for use with an island.
- The last two numbers of the SKU are the liner model number. See the chart on page V•37.
- Models 30, 36, and 42 have two 50 watt halogen lights.
- Models 48 and 54 have three 50 watt halogen lights.
- Model 60 has four 50 watt halogen lights.
- Variable speed fan control.
- Dishwasher safe perforated stainless steel mesh liner inserts.
- Dimmer controlled halogen lighting.

SWH-PML600SM30
 SWH-PML600SM30I
 SWH-PML600SM36
 SWH-PML600SM36I
 SWH-PML600SM42
 SWH-PML600SM42I
 SWH-PML600SM48
 SWH-PML600SM48I
 SWH-PML600SM54
 SWH-PML600SM54I
 SWH-PML600SM60
 SWH-PML600SM60I

Liners/Blowers for Wood Hoods – Professional Mesh Liner (PML)

Standard Range or Small Commercial w/o Grille



- 600 CFM blower.
- Duct is 8" in diameter.
- Blower is mounted inside the wood hood.
- An "I" at the end of a SKU is for use with an island.
- The last two numbers of the SKU are the liner model number. See the chart below.
- Models 30, 36, and 42 have two 50 watt halogen lights.
- Models 48 and 54 have three 50 watt halogen lights.
- Model 60 has four 50 watt halogen lights.
- Variable speed fan control.
- Dishwasher safe perforated stainless steel mesh liner inserts.
- Dimmer controlled halogen lighting.

SWH-PMLMB60030

SWH-PMLMB60030I

SWH-PMLMB60036

SWH-PMLMB60036I

SWH-PMLMB60042

SWH-PMLMB60042I

SWH-PMLMB60048

SWH-PMLMB60048I

SWH-PMLMB60054

SWH-PMLMB60054I

SWH-PMLMB60060

SWH-PMLMB60060I


Professional Mesh Liner (PML)						
Liner Model	30	36	42	48	54	60
Wood Hood Series Width						
G, T	NA	36	42	48	54	60
I	NA	36*	42	48	54	60
E, D, B	NA	36	42	48	54	60
W, O	NA	NA	NA	66	72	84, 90
H, L, N, U	NA	54	60	66	72	84
M, Q, R	30	36	42	48	54	60
S, J, A	33	39	45	51	57	63
H2	42	48	54	60	66	NA

*1000 CFM internal blower will not fit in 36" island hood.

1. Find wood hood model in the left column.
2. Find the width for the selected model.
3. See corresponding liner model in the top row.

Value Liners


390CFM T-Shaped Value Liner for VM-Series




- 390 CFM Blower.
- Dual 35 watt halogen lights.
- 3-speed fan control.
- Dishwasher safe aluminum slotted filters.
- Includes bulbs.

SWH-390VMBRR30

SWH-390VMBRR36



390CFM Value Liner for VCHIM-Series



- 390 CFM Blower.
- Dual 35 watt halogen lights.
- 3-speed fan control.
- Dishwasher safe aluminum slotted filters.
- Includes bulbs.

SWH-390VCMBRR30

SWH-390VCMBRR36

Value Liner		
Liner Model	30	36
Wood Hood Series Width		
G, T, VCHIM, VRACHIM	30	36
E, B, D	NA	36
R, M, Q	30	36
S, J, A	33	39
H, L, N	NA	54
I	NA	NA
H2	42	48

1. Find wood hood model in the left column.
2. Find the width for the selected model.
3. See corresponding liner model in the top row.

390 CFM value liner.
Available for value series wood hoods and select 30" & 32" wood hoods.